



80-100 Tons 4 Axles Lowbed Semi Trailer with Rear Ramp

JUPITER® is LOWBED SEMI TRAILER manufacturers and suppliers in China who can wholesale lowbed low boy low loader trailer. We can provide professional service and better price for you. If you interested in 80-100 Tons 4 Axles Lowbed Semi Trailer with Rear Ramp products, please contact with us. We follow the quality of rest assured that the price of conscience, dedicated service.. JUPITER Semi Trailer produce different types of 4 Axle Low loader semi trailer which can carry heavy and long loads. Lowbed 4 Axle can carry loads from 40-80 tons. We can use BPW or FUWA or other Certified Brand axles with self-steering or hydraulic remote controlled for our 4 Axles Lowbed Semi-Trailer models to offer different specifications to our valuable customers exclusively in whole China we are only the self-widening 4 Axles low loaders manufacturer

Product Description

This JUPITER® 80-100 Tons 4 Axles Lowbed Semi Trailer with Rear Ramp is suitable for carrying Construction Equipments bulk cargo such as backhoe, wheel loader which are mostly used in short and long distance transportation. 4 AXLES LOWBOY SEMI TRAIELR WITH FUWA 20T AXLE is the best choice for the transportation and operation of machines, equipments, bulk cargos, with high efficiency and economic return, we use famous brand parts on 4 AXLES LOW BOY SEMI TRAIELR WITH HYDRAULIC GOOSENECK, such as FUWA or BPW Brands Axle, JOST King Pin.so we recommend the end users or drivers to choose this HEAVY DUTY LOWBOY TRAIELR WITH 4 AXLES, EXTENDABLE WIDER and welcome to inquiry about our 4 axles lowbed semi trailer.

TECHNICAL HIGHLIGHTS

- FUWA, BPW or Certificated Axles
- · Self-steering or hydraulic steering axles
- Hydraulic or Pneumatic Ramp
- 4 Axles Lowbed Step Frame, 4 Axle Self Widening Low Loader, 4 Axle Lowboy, 4 Axle Low Loaders
- · High Quality Steel usage
- Air or Mechanical or Tandem or Hydraulic Suspension
- Extension From 3 meters Up To 6 meters
- Dimensions as Per the Buyer Request

Type 4 Axles Lowbed Semi-Trailer



Model		FTW9508TTD
Parameter	Dimension(mm)	length×width×height:15200×2800×3050mm
	King Pin Setting(mm)	980
	Fifth Wheel Height(mm)	The height will be adjusted according to the tractor specification
	Axle Space(mm)	6150+1310+1310+1310
	Tare Weight (kg)	11,500
	Payload (kg)	80,000
Fabric	Main Beam(mm)	300, submerged arc welding Q345B
	Flange and Web(mm)	2020/8/20
	Flooring	3mm Checkered Plate
	Lock	1
	Paint	primer + top coat
OEM	Landing Gear	FUWA 19"
	Kingpin	50#, FUWA or JOST
	Brake System	30/30 type on rear two axles with brake valve
	ABS	No
	Suspension	Mechanical suspension with 08 or 10 leaf spring
	Axle	13T. Number: 4
	Tire	11R22.5, Number:16
	Rim	8.25*22.5 Number:16
	Tool box	1 set on right side, 1m, steel
	Spare Tire Carrier	equipped 1 set per chassis
Color	1	According to customer's requirements
Others	大方士	"LONG VEHICLE" sign on the rear end.
		• LED lights, equip side turn light.





Main beam: stick "JUPITER" logo
Mud flap: stick "JUPITER "
Nameplate: English model